

L Number	Hits	Search Text	DB	Time stamp
34	1342	(anti near2 slip non near2 slip anti\$1slip non\$1slip) near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:52
35	1342	(anti near2 slip non near2 slip anti\$1slip non\$1slip) near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:18
36	247	((anti near2 slip non near2 slip anti\$1slip non\$1slip) near5 coating) and (SiO?sub.2 silica silicon near2 oxide aluminum adj oxide alumina corundum Al?sub.2O?sub.3 cerium adj oxide ceria CeO?sub.2 SiC silicon adj carbide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:54
37	332666	"37" and (particles particulate filler powder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:54
38	205	((anti near2 slip non near2 slip anti\$1slip non\$1slip) near5 coating) and (SiO?sub.2 silica silicon near2 oxide aluminum adj oxide alumina corundum Al?sub.2O?sub.3 cerium adj oxide ceria CeO?sub.2 SiC silicon adj carbide)) and (particles particulate filler powder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:54
39	55	((anti near2 slip non near2 slip anti\$1slip non\$1slip) near5 coating) and (SiO?sub.2 silica silicon near2 oxide aluminum adj oxide alumina corundum Al?sub.2O?sub.3 cerium adj oxide ceria CeO?sub.2 SiC silicon adj carbide)) and (particles particulate filler powder)) and (average adj thickness thick thickness) and (average near2 (size diameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:55
40	0	(anti near2 slip non near2 slip anti\$1slip non\$1slip).ti. and (coat coating layer) and average near2 (thick thickness) and (filler powder particle particulate) and average near3 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:19
41	0	(anti near2 slip non near2 slip anti\$1slip non\$1slip).ti. and (coat coating layer) and average near2 (thick thickness) and (filler powder particle particulate) and average near3 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:19
42	3	(\$5slip).ti. and (coat coating layer) and average near2 (thick thickness) and (filler powder particle particulate) and average near3 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:20
43	0	(traction).ti. and (coat coating layer) and average near2 (thick thickness) and (filler powder particle particulate) and average near3 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:20
44	0	(traction).ti. and (coat coating layer) and average near2 (thick thickness) and (filler powder particle particulate) and average near3 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:20
45	46	(traction).ti. and (coat\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:22
46	983	(\$slip).ti. and (coat\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 10:22

47	157	(anti\$slip).ti. and (coat\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:19
48	46	(traction).ti. and (coat\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:19
49	50	(non\$2skid).ti. and (coat\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:20
50	0	tire.ti and coat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:20
51	5671	tire.ti. and coat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:20
52	949	tire.ti. and coat\$4 and (traction friction \$4slip \$4skid)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:21
53	77	tire.ti. and coat\$4.ti. and (traction friction \$4slip \$4skid)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:28
54	16	"5376300"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:29
55	2	"5376700"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:30
56	8016	(friction non\$2skid non\$2slip traction) near5 (coat\$3 layer) and (partile powder filler particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:31
57	4777	((friction non\$2skid non\$2slip traction) near5 (coat\$3 layer) and (partile powder filler particulate)) and (thick thickness) and (diameter size)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 11:31
58	444	((friction non\$2skid non\$2slip traction) near5 (coat\$3 layer) and (partile powder filler particulate)) and (thick thickness) near5 (average mean) and (diameter size) near5 (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:02
59	766	106/36	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:02
60	0	106/36 and (average mean) near2 (size diameter) and (average mean) near2 (thick thicknes)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:03
61	1	106/36 and (average mean) near2 (size diameter) and (average mean) near2 (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:03
62	128	106/36 and (size diameter) and (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:07
63	775	428/323 and 428/336	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:08

64	17	(428/323 and 428/336) and (average mean) near4 (diameter size) and (average mean) near4 thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:08
65	18	(428/323 and 428/336) and (average mean) near4 (diameter size) and (average mean) near4 (thickness thick)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:10
66	1425	428/336 and (friction skid traction slip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:11
67	22	428/336 and (friction skid traction slip) near2 non	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:12
68	775	428/323 and 428/336	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:13
69	132	(428/323 and 428/336) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:14
70	130	(428/323 and 428/336) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness) not magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:14
71	27	(428/323 and 428/336) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness) not magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:14
72	94955	(coat coating) and (average mean) near5 (size diameter) and (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:16
73	51360	((coat coating) and (average mean) near5 (size diameter) and (average mean)) and (polyethelyene polybutadiene silicone polysulfide polyurethane epoxy acrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:16
74	8339	(coat coating) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:16
75	5074	((coat coating) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)) and (polyethelyene polybutadiene silicone polysulfide polyurethane epoxy acrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:16
76	3026	((coat coating) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)) and (polyethelyene polybutadiene silicone polysulfide polyurethane epoxy acrylic)) and (silica alumina ceria SiC)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:18
77	20088	"77" and (tire shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:18
78	3026	((coat coating) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)) and (polyethelyene polybutadiene silicone polysulfide polyurethane epoxy acrylic)) and (silica alumina ceria SiC)) and (silica alumina ceria SiC)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:18
79	39251	"76" and (tire shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:18

80	100	(((((coat coating) and (average mean) near5 (size diameter) and (average mean) near5 (thick thickness)) and (polyethelyene polybutadiene silicone polysulfide polyurethane epoxy acrylic)) and (silica alumina ceria SiC)) and (tire shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:23
81	3767	428/323 and (average mean) and (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:24
82	2362	(428/323 and (average mean) and (thick thickness)) and (silica ceria alumina corundum)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:24
83	506	((428/323 and (average mean) and (thick thickness)) and (silica ceria alumina corundum)) and (size diameter) near5 nm	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:24
84	449	((((428/323 and (average mean) and (thick thickness)) and (silica ceria alumina corundum)) and (size diameter) near5 nm) and (polyethylene polybutadiene silicone polysulfide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:25
85	39	polysulfide near5 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:27
86	19	"4519530"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:27
87	60	"4519430"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:29
88	7548	coating and (filler particle powder) near5 (silica alumina ceria) and (binder polymer) near5 (polyethylene polybutadiene polysulfide epoxy acrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:30
89	712	coating same ((filler particle powder) near5 (silica alumina ceria) and (binder polymer) near5 (polyethylene polybutadiene polysulfide epoxy acrylic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:30
90	1431	coating same ((filler particle powder) near5 (silica alumina ceria) and (binder polymer) near5 (polyethylene polybutadiene polysulfide epoxy acrylic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:30
91	606	(coating same ((filler particle powder) near5 (silica alumina ceria) and (binder polymer) near5 (polyethylene polybutadiene polysulfide epoxy acrylic))) and (particle powder filler) near5 (diameter size) and coating near5 (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:32
92	1291	428/325 and thickness and (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:42
93	1510	428/325 and thickness and (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:32
94	147	428/325 and thickness near5 (average mean) and (size diameter) near5 (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:42
95	3015	428/336 and thickness and (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:42

96	3849	428/336 and thickness and (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:42
97	290	428/336 and thickness near5 (average mean) and (size diameter) near5 (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:42
98	197	(428/336 and thickness near5 (average mean) and (size diameter) near5 (average mean)) and (ceria alumina corundum silica)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:43
99	223	(428/336 and thickness near5 (average mean) and (size diameter) near5 (average mean)) and (ceria alumina corundum silica SiO ₂ sub.2 Al ₂ sub.2O ₃ sub.3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 12:44
100	18	"2752256"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:56
119	29495	silicone and (thick thickness) and (diameter size) near5 (filler powder particle particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:57
120	840	binder near5 silicone and (thick thickness) and (diameter size) near5 (filler powder particle particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:57
121	706	binder near5 silicone and (thick thickness) and (diameter size) near5 (filler powder particle particulate) and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:58
-	4	"5456744"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/18 09:52
-	1	"4990188".PN.	USPAT	2002/02/25 08:02
-	1	"4019912".PN.	USPAT	2002/02/25 08:02
-	1	"3878147".PN.	USPAT	2002/02/25 08:03
-	12	3878147.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:32
-	1	"0073919".PN.	USPAT	2002/02/25 08:17
-	1	"1411912".PN.	USPAT	2002/02/25 08:21
-	1	"1657687".PN.	USPAT	2002/02/25 08:21
-	1	"2120406".PN.	USPAT	2002/02/25 08:21
-	1	"2576290".PN.	USPAT	2002/02/25 08:21
-	1	"2793136".PN.	USPAT	2002/02/25 08:21
-	1	"3124807".PN.	USPAT	2002/02/25 08:22
-	1	"3450563".PN.	USPAT	2002/02/25 08:22
-	1	"3573155".PN.	USPAT	2002/02/25 08:23
-	1	"3598677".PN.	USPAT	2002/02/25 08:24

-	1	"3629051".PN.	USPAT	2002/02/25 08:24
-	1	"3629380".PN.	USPAT	2002/02/25 08:26
-	1	"4109041".PN.	USPAT	2002/02/25 08:26
-	1	"4196259".PN.	USPAT	2002/02/25 08:26
-	1	"4196259".PN.	USPAT	2002/02/25 08:26
-	1	"4329312".PN.	USPAT	2002/02/25 08:26
-	1	"4420513".PN.	USPAT	2002/02/25 08:26
-	1	"4488918".PN.	USPAT	2002/02/25 08:27
-	1	"4488918".PN.	USPAT	2002/02/25 08:28
-	1	"4592583".PN.	USPAT	2002/02/25 08:28
-	1	"4614686".PN.	USPAT	2002/02/25 08:28
-	1	"4614686".PN.	USPAT	2002/02/25 08:28
-	1	"4692370".PN.	USPAT	2002/02/25 08:28
-	1	"4693507".PN.	USPAT	2002/02/25 08:28
-	1	"4693507".PN.	USPAT	2002/02/25 08:29
-	1	"4721641".PN.	USPAT	2002/02/25 08:29
-	1	"4721641".PN.	USPAT	2002/02/25 08:29
-	1	"4745139".PN.	USPAT	2002/02/25 08:29
-	1	"4745139".PN.	USPAT	2002/02/25 08:30
-	1	"4760103".PN.	USPAT	2002/02/25 08:30
-	1	"5053253".PN.	USPAT	2002/02/25 08:31
-	1	"5094902".PN.	USPAT	2002/02/25 08:31
-	1	"5110657".PN.	USPAT	2002/02/25 08:31
-	1	"5194194".PN.	USPAT	2002/02/25 08:32
-	1	"5263761".PN.	USPAT	2002/02/25 08:32
-	22	"anti-slip" and shoes and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:33
-	6	"anti-slip" and shoes and viscosity and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:36
-	1	"anti-slip" and efficiency and viscosity and tire and particulate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:38
-	1	anti-slip and efficiency and viscosity and tire and particulate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:39
-	3	anti-slip and viscosity and tire and particulate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:39

-	1	"2906720".PN.	USPAT	2002/02/25 08:39
-	1	"3652720".PN.	USPAT	2002/02/25 08:39
-	1	"3600329".PN.	USPAT	2002/02/25 08:39
-	1	"3475205".PN.	USPAT	2002/02/25 08:39
-	4	3475205.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:46
-	1	"5176765".PN.	USPAT	2002/02/25 08:43
-	1	"4862934".PN.	USPAT	2002/02/25 08:44
-	1	"4667719".PN.	USPAT	2002/02/25 08:44
-	1	"4640952".PN.	USPAT	2002/02/25 08:44
-	1	"4619300".PN.	USPAT	2002/02/25 08:44
-	1	"4519431".PN.	USPAT	2002/02/25 08:44
-	1	"4478266".PN.	USPAT	2002/02/25 08:44
-	1	"4478266".PN.	USPAT	2002/02/25 08:44
-	1	"3475205".PN.	USPAT	2002/02/25 08:44
-	1	"3475205".PN.	USPAT	2002/02/25 08:45
-	1	"4284115".PN.	USPAT	2002/02/25 08:45
-	1	"1719628".PN.	USPAT	2002/02/25 08:45
-	1	"3475205".PN.	USPAT	2002/02/25 08:45
-	0	3878147.uref	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:46
-	12	3878147.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:50
-	1	"5162395".PN.	USPAT	2002/02/25 08:46
-	1	"2143897".PN.	USPAT	2002/02/25 08:49
-	1	"4219452".PN.	USPAT	2002/02/25 08:49
-	1	"3878147".PN.	USPAT	2002/02/25 08:49
-	1	"3827885".PN.	USPAT	2002/02/25 08:49
-	1	"3789050".PN.	USPAT	2002/02/25 08:49
-	1	"3666613".PN.	USPAT	2002/02/25 08:50
-	1	"2793136".PN.	USPAT	2002/02/25 08:50
-	1	"2582701".PN.	USPAT	2002/02/25 08:50
-	10	friction and coating and tire and shoe and efficiency and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:52

-	5	traction and coating and tire and shoe and efficiency and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:51
-	1	viscosity and anti-slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:53
-	275	viscosity and anti-slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:53
-	16	viscosity and anti-slip and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:53
-	186	viscosity and anti-slip and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:53
-	15	viscosity and anti-slip and coating and shoe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:58
-	1	"4946503".PN.	USPAT	2002/02/25 08:54
-	1	"4745139".PN.	USPAT	2002/02/25 08:54
-	1	"2906720".PN.	USPAT	2002/02/25 08:54
-	1	"4990184".PN.	USPAT	2002/02/25 08:54
-	8	428/332 and anti-slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:58
-	1	428/332 and anti-slip and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:59
-	2	428/331 and anti-slip and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 08:59
-	1	428/329 and anti-slip and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:00
-	0	efficiency adj improving and anti-slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:00
-	275	anti-slip and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:05
-	186	anti-slip and viscosity and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:06
-	19	anti-slip and viscosity and coating and thickness and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:07
-	94	anti-slip and viscosity and coating and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:08

-	8	anti-slip and viscosity and coating and thickness and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:09
-	12	anti-slip and viscosity and coating and thickness and shoe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:09
-	80	523/153 and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:50
-	24	523/153 and silica and silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:51
-	2	523/153 and silica and silicone and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:52
-	142	523/152	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:52
-	22	523/152 and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:52
-	4	523/152 and tire and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:53
-	17	523/152 and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:54
-	0	523/152 and silica and silicone adj oil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:55
-	7	523/152 and silica and silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:55
-	40501	silica and silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:55
-	9479	silica and silicone adj oil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:56
-	3	silica and silicone adj oil near5 coating and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 09:56
-	68	silica and silicone near5 coating and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:04
-	80	silica and polyurethane near5 coating and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:08
-	12	silica and polyurethane near5 coating and tire and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:08

-	4	523/152 and polyurethane and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:10
-	22	523/152 and tires	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:12
-	10	523/152 and tires and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:13
-	0	523/152 and tires and silica and polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:13
-	1	523/152 and tires and silica and chloroprene	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:21
-	1	"5691407".PN.	USPAT	2002/02/25 10:15
-	1	"5516816".PN.	USPAT	2002/02/25 10:15
-	1	"5455019".PN.	USPAT	2002/02/25 10:16
-	1	"5378753".PN.	USPAT	2002/02/25 10:16
-	1	"5268398".PN.	USPAT	2002/02/25 10:16
-	1	"5268398".PN.	USPAT	2002/02/25 10:17
-	1	"5225229".PN.	USPAT	2002/02/25 10:17
-	1	"5066702".PN.	USPAT	2002/02/25 10:17
-	799	chloroprene and silica and cyclohexane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:22
-	155	chloroprene and silica and cyclohexane and tires	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:26
-	34	chloroprene and silica and cyclohexane and tires and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:37
-	0	chloroprene and fine near5 silica and cyclohexane and tires and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:28
-	3	523/152 and chloroprene	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:42
-	1	"5691407".PN.	USPAT	2002/02/25 10:37
-	1	"5516816".PN.	USPAT	2002/02/25 10:37
-	1	"5516816".PN.	USPAT	2002/02/25 10:37
-	1	"5455019".PN.	USPAT	2002/02/25 10:37
-	142	523/152	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:42

-	3062	chloroprene and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:42
-	799	chloroprene and silica and cyclohexane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:43
-	34	chloroprene and silica and cyclohexane and tire and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:46
-	0	aluminua and silicone adj oil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:47
-	9479	silica and silicone adj oil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:47
-	1830	silica and silicone adj oil and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 10:47
-	47	silica and silicone adj oil and efficiency and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:00
-	5	"6053226"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:52
-	1	"5844044".PN.	USPAT	2002/02/25 11:01
-	1	"5844044".PN.	USPAT	2002/02/25 11:51
-	6535	amino and alkoxy and silicone and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:53
-	122	amino and alkoxy and silicone and silica and tires	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:53
-	5	amino and alkoxy and silicone and silica and tires and denatured near5 alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:54
-	147	energy adj consumption adj efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:55
-	2	energy adj consumption adj efficiency and tires	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:55
-	2	energy adj consumption adj efficiency and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:56
-	10	efficiency and tires and silicone and silica and denatured adj alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:57
-	1	heterofunctional and silicone and silica and cyclohexane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:58

-	111	523/150	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 11:59
-	6	523/150 and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:02
-	0	silica and coupling adj agent and silicone near5 (alkoxy and amino)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:03
-	4395	silica and coupling adj agent and silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:04
-	823	silica and coupling adj agent near5 silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:04
-	0	silica and coupling adj agent near5 silicone and denatured adj alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:04
-	507	silica and coupling adj agent near5 silicone and alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:16
-	342	silica and coupling adj agent near5 silicone and alcohol and particle adj size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:18
-	4	silica and heterofunctional near5 silicone	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:18
-	9479	silica and silicone adj oil	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:18
-	8	silica and silicone adj oil and heterofunctional	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:19
-	0	523/152 and polydimethyl adj siloxane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:20
-	0	523/152 and polydimethyl adj siloxane and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:20
-	0	523/152 and siloxane and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:20
-	3	523/150 and siloxane and silica	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:21
-	9	siloxane and silica and heterofunctional	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:21
-	2702	siloxane and silica and alkoxy and amino	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:22

-	597	siloxane and silica and alkoxy and amino and coupling adj agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:22
-	1	siloxane and silica and alkoxy and amino and coupling adj agent and isopropyl	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:24
-	329	siloxane and silica and alkoxy and amino and coupling adj agent and isopropyl	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:24
-	30	siloxane and silica and alkoxy and amino and coupling adj agent and isopropyl and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:34
-	0	modified adj polyurethane and silica and alkoxy and amino and coupling adj agent and isopropyl and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:35
-	0	modified adj polyurethane and silica and coupling adj agent and isopropyl and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:35
-	0	modified adj polyurethane and silica and isopropyl and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:35
-	211	polyurethane and silica and isopropyl and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:37
-	70	polyurethane and silica and isopropyl and tire and coupling adj agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:37
-	29	polyurethane and silica and isopropyl adj alcohol and tire and coupling adj agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/02/25 12:37
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:38
-	167	energy adj consumption adj efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:29
-	1	energy adj consumption adj efficiency and binder and particles and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:28
-	2	mukaida near3 minoru	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:29
-	7	energy adj consumption adj efficiency and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:29
-	2816	coating and viscosity and friction and particles and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:29
-	2383	coating and viscosity and friction and particles and binder and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:30

-	101	coating and viscosity and friction and particles and binder and thickness and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:32
-	39640	(binder resin) near5 viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:34
-	43585	energy adj consumption	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:32
-	201	((binder resin) near5 viscosity) and (energy adj consumption)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:32
-	7689	((binder resin) near5 viscosity) and particles near5 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:34
-	9146	((binder resin) near5 viscosity) and particles near5 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:34
-	9146	((binder resin) near5 viscosity) and particles near5 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:34
-	937	((binder resin) near5 viscosity) and particles near5 (size diameter)) and friction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:34
-	258	((binder resin) near5 viscosity) and particles near5 (size diameter)) and friction) and coating near10 thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:35
-	14	((binder resin) near5 viscosity) and particles near5 (size diameter)) and friction) and coating near10 thickness) and (tire hoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:35
-	19	((binder resin) near5 viscosity) and particles near5 (size diameter)) and friction) and coating near10 thickness) and (tire shoe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:35
-	1	"3652720".PN.	USPAT	2002/09/11 15:37
-	1	"3600329".PN.	USPAT	2002/09/11 15:37
-	1	"3475205".PN.	USPAT	2002/09/11 15:37
-	1	"3350342".PN.	USPAT	2002/09/11 15:37
-	1	"2739135".PN.	USPAT	2002/09/11 15:37
-	34940	resin near5 viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:38
-	26	(resin near5 viscosity) and anti?slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:38
-	26	(resin near5 viscosity) and anti?slip\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:39
-	347	coating near10 anti?slip\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:40

-	128	(coating near10 anti?slip\$3) and (tire show footwear)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:40
-	36	(coating near10 anti?slip\$3) and (tire shoe footwear)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:50
-	1	"5302440".PN.	USPAT	2002/09/11 15:41
-	1	"5164231".PN.	USPAT	2002/09/11 15:42
-	1	"4745139".PN.	USPAT	2002/09/11 15:44
-	1	"4689832".PN.	USPAT	2002/09/11 15:44
-	1	"4598429".PN.	USPAT	2002/09/11 15:44
-	303	anti?slip\$3 and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 15:52
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:07
-	15749	polymer with viscosity and filler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:08
-	11069	polymer with viscosity and filler and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:08
-	7948	polymer near5 viscosity and filler and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:08
-	4389	polymer near5 viscosity and filler and solvent and (energy traction friction adhesion)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:09
-	2250	polymer near5 viscosity and filler and solvent and (energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:09
-	52	polymer near5 viscosity near10 energy and filler and solvent and (energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:11
-	52	polymer near5 viscosity near10 energy and filler and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:09
-	29	polymer near5 viscosity near10 energy and filler and solvent and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:09
-	35	polymer near5 viscosity with energy and filler and solvent and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:11
-	0	polymer near5 viscosity with firction and filler and solvent and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:12
-	8	polymer near5 viscosity with friction and filler and solvent and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:12

-	415	automobile and friction and coating and viscosity and thickness and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:12
-	138	automobile and friction and coating with viscosity and thickness and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:13
-	48	mukaida and energy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:14
-	205	energy adj consumption and coating with viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:15
-	10586	coating near5 viscosity and (ethylene butadiene silicone polysulfide polyurethane)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:16
-	6822	coating near5 viscosity and (epoxy acrylicsilicone polysulfide polyurethane) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:16
-	9116	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:17
-	194	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:17
-	194	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:17
-	97	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire and (silica silicon adj oxide alumina aluminum adj oxide cerium adj oxide silicon adj carbide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:19
-	97	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire and (silica silicon adj oxide alumina aluminum adj oxide cerium adj oxide silicon adj carbide) and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:19
-	77	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire and (silica silicon adj oxide alumina aluminum adj oxide cerium adj oxide silicon adj carbide) and viscosity and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:20
-	14	coating near5 viscosity and (epoxy acrylic silicone polysulfide polyurethane) and solvent and tire and (silica silicon adj oxide alumina aluminum adj oxide cerium adj oxide silicon adj carbide) and viscosity and thickness and isopropyl adj alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:22
-	440585	viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:22
-	1797473	viscosity anf thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:22

-	111411	viscosity and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:22
-	1467123	viscosity with "100000"and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:22
-	2436	viscosity with "100000" and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:23
-	660	viscosity with "100000" and thickness with "10"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:23
-	192	viscosity with "100000" and thickness with "10" and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:24
-	688	viscosity with centipoise and thickness with "10" and binder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:24
-	66	viscosity with centipoise and thickness with "10" and binder and isopropyl adj alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:26
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:37
-	1	"4945686".PN.	USPAT	2002/10/07 16:32
-	1	"4813976".PN.	USPAT	2002/10/07 16:32
-	1	"4653236".PN.	USPAT	2002/10/07 16:32
-	1	"4348496".PN.	USPAT	2002/10/07 16:32
-	1	"4110427".PN.	USPAT	2002/10/07 16:32
-	1	"3989861".PN.	USPAT	2002/10/07 16:34
-	1	"3974945".PN.	USPAT	2002/10/07 16:34
-	1	"3971162".PN.	USPAT	2002/10/07 16:34
-	1	"3764067".PN.	USPAT	2002/10/07 16:34
-	1	"3383344".PN.	USPAT	2002/10/07 16:34
-	1	"2764454".PN.	USPAT	2002/10/07 16:34
-	1	"2524590".PN.	USPAT	2002/10/07 16:34
-	1	"2524590".PN.	USPAT	2002/10/07 16:35
-	19	antislip and coating and viscosity and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:40
-	30846	antislip and (urethane ethylene butadiene) coating and viscosity and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:40
-	3145869	antislip and (urethane ethylene butadiene) an d coating and viscosity and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/07 16:41

-	17	antislip and (urethane ethylene butadiene) and coating and viscosity and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 07:21
-	0	urethane adj acrylate with fluorene	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 07:22
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:13
-	1154	coating and viscosity and particles near5 (SiO ₂ Al ₂ O ₃ CeO SiC)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:32
-	207	coating and viscosity near5 (centipoise cp) and particles near5 (SiO ₂ Al ₂ O ₃ CeO SiC)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:33
-	43	coating and viscosity near5 (centipoise cp) and particles near5 (SiO ₂ Al ₂ O ₃ CeO SiC) and (anti?slip traction friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:37
-	347	(anti?slip traction) with viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:37
-	208	(anti?slip traction) and viscosity near5 (cp centipoise)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:38
-	28	(anti?slip traction) and viscosity near5 (cp centipoise) and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:40
-	1574	coating with viscosity near5 (centipoise cp) and solvent and (polymer binder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:41
-	604	coating with viscosity near5 (centipoise cp) and solvent and (polymer binder) and particles near5 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/08 10:44
-	205	coating with viscosity near5 (centipoise cp) and binder with solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:20
-	304	coating with viscosity near5 (centipoise cp) and binder with solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:20
-	260	coating with viscosity near5 (centipoise cp) and binder with solvent and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:31
-	17	coating with viscosity near5 (centipoise cp) and binder with solvent and thickness and (slip traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:33
-	2	mukaida near5 minoru	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:34
-	162	energy adj consumption and coating with viscosity and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:37

-	2298	428/323 and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:37
-	0	428/323 and viscosity and automobile	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:37
-	167	428/323 and viscosity and automobile	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:37
-	146	428/323 and viscosity and automobile and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	58	428/323 and viscosity and automobile and thickness and energy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	1	428/323 and viscosity and automobile and thickness and energy adj consumption	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	117	428/323 and viscosity and automobile and thickness and particle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	97	428/323 and viscosity and automobile and thickness and particle with (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	85	428/323 and viscosity and automobile and thickness and particle with (size diameter) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 10:38
-	0	"357126877"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:13
-	2	"57126877"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:14
-	844	anti?slip and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:15
-	196	anti?slip and coating and (particle filler) and (particle adj size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:17
-	106	anti?slip and coating and (particle filler) and (particle adj size diameter) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:05
-	35	"2793136"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 13:19
-	20	"4745139"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:00
-	1	"3036928".PN.	USPAT	2002/10/09 13:57
-	1	"3230184".PN.	USPAT	2002/10/09 13:57
-	1	"3365315".PN.	USPAT	2002/10/09 13:58

-	1	"3642675".PN.	USPAT	2002/10/09 13:58
-	1	"3660849".PN.	USPAT	2002/10/09 13:58
-	1	"3827978".PN.	USPAT	2002/10/09 13:58
-	1	"3873475".PN.	USPAT	2002/10/09 13:59
-	1	"3873475".PN.	USPAT	2002/10/09 13:59
-	1	"3904560".PN.	USPAT	2002/10/09 13:59
-	1	"3986213".PN.	USPAT	2002/10/09 13:59
-	1	"4053448".PN.	USPAT	2002/10/09 13:59
-	1	"4391646".PN.	USPAT	2002/10/09 13:59
-	1	"4528231".PN.	USPAT	2002/10/09 13:59
-	5	"5314940"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:00
-	1	"4990184".PN.	USPAT	2002/10/09 14:03
-	1	"4946503".PN.	USPAT	2002/10/09 14:03
-	1	"4536454".PN.	USPAT	2002/10/09 14:03
-	1	"5302440".PN.	USPAT	2002/10/09 14:05
-	1	"5254391".PN.	USPAT	2002/10/09 14:05
-	1	"4689832".PN.	USPAT	2002/10/09 14:05
-	1	"4598429".PN.	USPAT	2002/10/09 14:05
-	168	anti?slip and (particle filler) and (particle adj size diameter) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:13
-	14	"4363145"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:09
-	4	428/332 and anti?slip and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:12
-	9	428/323 and anti?slip and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:12
-	5	anti?slip and (particle filler) and (particle adj size diameter) near5 (nm nanometers) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:14
-	5	anti?slip and (particle adj size diameter) near5 (nm nanometers) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:14
-	8145	film and(particle adj size diameter) near5 (nm nanometers) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:15
-	8145	film and (particle adj size diameter) near5 (nm nanometers) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:15

-	71	traction and (particle adj size diameter) near5 (nm nanometers) and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:20
-	0	tire with coating and solvent and (particle filler) with aprticle adj size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:21
-	234	tire with coating and solvent and (particle filler) with particle adj size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 14:23
-	1418	polyurethane with solvent and (particle filler) with particle adj (size diameter) and ("% percent) near5 (wt weight wt.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 15:27
-	400	427/539	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/09 15:27
-	434	(skid slip) near5 (non anti) and polymer with solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:43
-	16	"3652720"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:44
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:44
-	110	(skid slip) near5 (non anti) and polymer with solvent and spray	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:46
-	51	(skid slip) near5 (non anti) and polymer with solvent and spray and (weight wt wgt) adj "%"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:50
-	21	(skid slip traction) near10 ice and polymer with solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:52
-	19	(skid slip traction) near10 ice and polymer and solvent and (weight wgt wt) near2 "%"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:53
-	36	(skid slip traction) near10 ice and polymer and solvent and (weight wgt wt) near2 ("% percent)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:53
-	2907	spray and (tire automobile) and polymer and solvent and (weight wgt wt) near2 (percent "5")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:54
-	3084	spray and (tire automobile) and polymer and solvent and (weight wgt wt) near2 (percent "5")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:54
-	3238	(spray aerosol) and (tire automobile) and polymer and solvent and (weight wgt wt) near2 (percent "5")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:55
-	243	(spray aerosol) and (tire automobile) and polymer and solvent and (weight wgt wt) near2 (percent "5") and (skid slip frction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:55

-	481	(spray aerosol) and (tire automobile) and polymer and solvent and (weight wgt wt) near2 (percent "5") and (skid slip friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:55
-	203	(spray aerosol) and (tire) and polymer and solvent and (weight wgt wt) near2 (percent "5") and (skid slip friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:56
-	218	(spray aerosol) and (tire) and polymer and solvent and (weight wgt wt) near2 (percent "%") and (skid slip friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:56
-	132	(spray aerosol) and (tire) and polymer and solvent and (weight wgt wt) near2 (percent "%") and (skid slip traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 08:59
-	1	"5824734".PN.	USPAT	2002/10/10 08:58
-	1	"5736470".PN.	USPAT	2002/10/10 08:59
-	1	"5548017".PN.	USPAT	2002/10/10 08:59
-	1	"5509969".PN.	USPAT	2002/10/10 08:59
-	1	"5418006".PN.	USPAT	2002/10/10 08:59
-	339	coating adj composition and polymer and solvent and polymer near5 viscosity with (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:01
-	130	coating adj composition and polymer and solvent and polymer near5 viscosity with (centipoise cp) and polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:01
-	106	coating adj composition and polymer and solvent and polymer near5 viscosity with (centipoise cp) and polyurethane and (weight wgt wt) near3 (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:01
-	106	coating adj composition and polymer and solvent and polymer near5 viscosity with (centipoise cp) and polyurethane and (weight wgt wt) near3 (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:12
-	578	coating adj composition and (polymer resin) and solvent and (polymer resin) near5 viscosity with (centipoise cp) and (weight wgt wt) near3 (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:16
-	299	coating adj composition and (polymer resin) and solvent and (polymer resin) near5 viscosity with (centipoise cp) and (weight wgt wt) near3 (percent "%") and (spray aerosol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:28
-	1	"5461100".PN.	USPAT	2002/10/10 09:24
-	1	"5334323".PN.	USPAT	2002/10/10 09:24
-	1	"5268117".PN.	USPAT	2002/10/10 09:24
-	1	"5268117".PN.	USPAT	2002/10/10 09:24
-	1	"5118435".PN.	USPAT	2002/10/10 09:24
-	1	"4358389".PN.	USPAT	2002/10/10 09:25
-	1	"2923692".PN.	USPAT	2002/10/10 09:25
-	49	coating adj composition and (polymer resin) and solvent and (polymer resin) near5 viscosity with (centipoise cp) and (weight wgt wt) near3 (percent "%") near5 (solvent and (polymer resin)) and (spray aerosol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:36

-	4	polymer and solution adj forming adj agent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:36
-	3304	coating adj composition and (polymer resin) and isopropyl adj alcohol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:37
-	547	coating adj composition and (polymer resin) and isopropyl adj alcohol and viscosity near5 (centipoise cp) and viscosity near5 (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:38
-	425	coating adj composition and (polymer resin) and isopropyl adj alcohol and viscosity near5 (centipoise cp) and weight near3 ("% percent)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:38
-	175	coating adj composition and (polymer resin) and isopropyl adj alcohol and viscosity near5 (centipoise cp) and weight near3 ("% percent) and polyurethane	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:41
-	57	coating adj composition and (polymer resin) and isopropyl adj alcohol and viscosity near5 (centipoise cp) and weight near3 ("% percent) and polyurethane and flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:43
-	104	coating adj composition and (polymer resin) and isopropyl adj alcohol and viscosity near5 (centipoise cp) and weight near3 ("% percent) and flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:45
-	32	spray adj coating and (polymer resin) near3 weight adj (percent "%") and solvent near3 weight adj (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:50
-	38	coating adj composition and (spray aerosol) and (polymer resin) near3 weight adj (percent "%") and solvent near3 weight adj (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:52
-	0	coating adj composition and (spray aerosol) and (polymer resin) near3 weight adj (percent "%") and solvent near3 weight adj (percent "%") and (anti?slip friction near3 ice)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/10 09:53
-	48	mukaida and energy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 07:59
-	1474	(friction grip anti-slip) near5 ice	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:07
-	12	3878147.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:09
-	17	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:10
-	40	523/150 and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:11
-	0	523/150 and sovent and (polymer binder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:11
-	42	523/150 and solvent and (polymer binder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:11

-	24	523/150 and solvent and (polymer binder) and (weight wgt wt) near5 (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:13
-	18	523/152 and solvent and (polymer binder) and (weight wgt wt) near5 (percent "%")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:15
-	148	523/152	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 08:22
-	113	523/150	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 09:50
-	18	"2752256"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 09:39
-	2	"5530040"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 09:40
-	1	tire near5 coating with traction and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 09:40
-	20	"4745139"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:21
-	40	styrene adj butadiene with (isopropyl adj alcohol isopropanol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:23
-	120599	isopropyl adj alcohol isopropanol	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:24
-	5837	styrene adj butadiene adj styrene	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:24
-	643	styrene adj butadiene adj styrene and (isopropanol isopropyl adj alcohol)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:27
-	29	styrene adj butadiene adj styrene and (isopropanol isopropyl adj alcohol) with benzene	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:27
-	177	styrene adj butadiene adj styrene and (isopropanol isopropyl adj alcohol) near10 solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/10/16 10:28
-	18	"3878147"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 14:48
-	433	tire and coating and friction and particles and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 14:49
-	9	428/323 and tire and thickness and viscosity and particle? and friction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:24

-	50	428/323 and tire and thickness and viscosity and particle?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:29
-	0	106/36 and firction and thickness and particle? and film	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:29
-	0	106/36 and firction and thickness and particle?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:29
-	11	106/36 and friction and thickness and particle? and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:31
-	6	106/36 and friction and thickness and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:34
-	1	"5162395".PN.	USPAT	2003/04/28 15:33
-	1	"4884607".PN.	USPAT	2003/04/28 15:33
-	1	"3768535".PN.	USPAT	2003/04/28 15:33
-	1	"2675047".PN.	USPAT	2003/04/28 15:33
-	1	"2274855".PN.	USPAT	2003/04/28 15:33
-	16	"3652720"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:34
-	11	"3600329"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:34
-	8	"3475205"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:37
-	7	"3350342"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:38
-	10	"2739135"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/28 15:38
-	0	eneregy adj consumption adj efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:14
-	175	energy adj consumption adj efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:14
-	18	energy adj consumption adj efficiency and film	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:14
-	14	energy adj consumption adj efficiency and film and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:14
-	8	energy adj consumption adj efficiency and film and thickness and particles	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:18

-	711	tire and (friction traction) and (particles filler) and thickness and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:18
-	524	tire and (friction traction) and (particles filler) and thickness and polymer and coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:19
-	316	tire and (friction traction) and (particles filler) and thickness and polymer and coat\$3 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:23
-	15	(tire.ti. wheel.ti.) and (friction traction) and (particles filler) and thickness and polymer and coat\$3 and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:24
-	1165	(tire.ti. wheel.ti.) and (coating.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:24
-	46	(tire.ti. wheel.ti.) and (coating.ti.) and (friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:31
-	121	(tire.ti. wheel.ti.) and (friction.ti. traction.ti.) and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:32
-	7	(tire.ti. wheel.ti.) and (friction.ti. traction.ti.) and thickness and particles	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:32
-	2	(tire.ti. wheel.ti.) and (friction.ti. traction.ti.) and thickness near5 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:33
-	3	coating.ti. and (friction.ti. traction.ti.) and thickness near5 coating and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:34
-	3	"5456744"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 08:34
-	0	"09912449"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/29 12:50
-	2	"20020034664"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:44
-	16	magnetic adj recording adj media and Co near5 magnetic adj layer and (Pt Cr) near5 lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:47
-	65622	magnetic adj recording adj media magnetic adj layer near10 (Pt Cr) near5 lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:47
-	1	magnetic adj recording adj media and magnetic adj layer near10 (Pt Cr) near5 lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:47
-	1	magnetic adj layer near10 (Pt Cr) near5 lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:48

-	4	(Pt Cr) near5 lattice adj constant with recording adj layer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:48
-	1	(Pt Cr) near5 lattice adj constant near5 expand	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:49
-	1	(Pt Cr) near5 lattice adj constant with expand	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:49
-	1	(Pt Cr) near5 expand with lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:49
-	5	(Pt Cr) near5 expand and lattice adj constant	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 08:49
-	35	traction and film with viscosity and particles	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/31 10:04
-	54	tire and traction and film and viscosity and particles	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/31 10:05
-	31	tire and coating near5 viscous and particle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:52
-	31	tire and coating near5 viscous and particles	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:53
-	0	tire and coating near5 fuel near5 efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:53
-	22	coating near5 fuel near5 efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:54
-	7	coating near5 efficiency and tire and slip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:54
-	27	tire near5 coating same \$4slip\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 13:56
-	7	"4789190"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:02
-	1	"4529127".PN.	USPAT	2004/01/13 13:58
-	1	"4324363".PN.	USPAT	2004/01/13 13:58
-	1	"4230045".PN.	USPAT	2004/01/13 13:58
-	1	"3888524".PN.	USPAT	2004/01/13 13:59
-	1	"3455588".PN.	USPAT	2004/01/13 13:59
-	1	"3345098".PN.	USPAT	2004/01/13 13:59
-	1	"3336064".PN.	USPAT	2004/01/13 13:59

-	1	"3336064".PN.	USPAT	2004/01/13 13:59
-	1	"3271060".PN.	USPAT	2004/01/13 13:59
-	1	"2921918".PN.	USPAT	2004/01/13 13:59
-	8	"2921918"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:06
-	6	(slip skide) near5 tire near10 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:06
-	24	(slip skid) near5 tire near10 coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:06
-	280	(tire wheel) and coating near5 viscous	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:17
-	163	(tire wheel) and coating near5 viscous and (particle powder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:20
-	3098	(tire wheel) and coating and viscosity and (particle powder) and (slip skid energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:21
-	608	(tire wheel) and coating near10 viscosity and (particle powder) and (slip skid energy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:21
-	240	(tire wheel) and coating near10 viscosity and (particle powder) and (slip skid)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:21
-	154	(tire wheel) and coating near10 viscosity and (particle powder) near5 (size diameter) and (slip skid)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:26
-	81745	(tire wheel) and coating near10 viscosity and (particle powder) near5 (size diameter) aand traction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:26
-	11	(tire wheel) and coating near10 viscosity and (particle powder) near5 (size diameter) and traction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:26
-	0	5456754.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:40
-	4	"5456754"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:41
-	3	"5456744"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:47
-	111	(skid grip) near5 coating and (particle filler) near5 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:47
-	117	(skid grip) near5 coating and (particle filler) near5 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 14:47

-	58	(skid grip) near5 coating and (particle filler) near5 (size diameter) and (viscosity viscous)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:15
-	38	(skid grip) near5 coating and (particle filler) near5 (size diameter) and (viscosity viscous) and thick\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:15
-	50	(skid grip) near5 coating and (particle filler) near5 (size diameter) and (viscosity viscous) and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:16
-	79	(skid grip) near5 coating and (particle filler) near5 (size diameter) and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:20
-	8	"3878147" and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:25
-	0	tire near5 traction and coating near5 thickness and filler near5 size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:25
-	3580	tire near5 traction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:25
-	201	tire near5 traction and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:25
-	113	tire near5 traction and coating and thic\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:26
-	58	tire near5 traction and coating and thic\$5 and (particle filler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:27
-	694	(skid slip) near5 coating and thickness and (filler particle) and (size diameter) and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:29
-	96	(skid slip) near5 coating and thickness and (filler particle) and (size diameter) and viscosity and (traction automobile tire)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:33
-	333	428/323 and (skid slip) and viscosity and thickn\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:34
-	347	428/323 and (skid slip) and viscosity and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:34
-	265	428/323 and (skid slip) and viscosity and thickn\$4 and (particle filler) near5 (size diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:35
-	194476	428/323 and (skid slip) and viscosity and thickn\$4 and (particle filler) near5 (size diameter) tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:35
-	8	428/323 and (skid slip) and viscosity and thickn\$4 and (particle filler) near5 (size diameter) and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:35

-	8634	428/323 coating near5 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:36
-	10	428/323 and coating near5 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:36
-	46	428/323 and tire and viscosity and thickness and (filler particle) near5 (size diamter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:37
-	1351	coating near3 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:37
-	144	(coating near3 tire) and energy	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:38
-	41	(coating near3 tire) and traction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:38
-	25	((coating near3 tire) and traction) and (filler particle)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:40
-	12	((coating near3 tire) and traction) and (filler particle)) and (thick thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:41
-	59	428/336 and tire and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 15:57
-	290	428/694TP and protect\$3 near5 thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 16:00
-	13	428/694TP and protect\$3 near5 thick\$4 near5 angstrom	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/01/13 16:00
-	192	energy adj consumption adj efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:26
-	0	428/323 and thickness and (friction traction) near2 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:27
-	1	428/323 and thickness and (friction traction) near2 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:31
-	1	"3958063".PN.	USPAT	2004/02/10 12:29
-	1	"3607607".PN.	USPAT	2004/02/10 12:30
-	44	"5233333"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:31
-	3	"5223333"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:31

-	0	428/336 and thickness and (friction traction) near2 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:31
-	69	viscosity and thickness and (friction traction) near2 tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:35
-	28	(film coating)near5 thickness and (friction traction) near2 tire and (particle powder filler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:41
-	627	(friction traction) near2 tire and (particle powder filler)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:42
-	204	(friction traction) near2 tire and (particle powder filler) near5 average	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:42
-	204	((friction traction) near2 tire and (particle powder filler) near5 average) and average	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:42
-	25	((friction traction) near2 tire and (particle powder filler) near5 average) and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:42
-	31	((friction traction) near2 tire and (particle powder filler) near5 average) and (thickness thick)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:46
-	2	"60258235"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:49
-	0	428/336 and tire near2 (friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:50
-	62	428/336 and tire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 12:50
-	12	428/336 and tire and (traction friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:02
-	38	428/323 and tire and (traction friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:02
-	13	428/332 and tire and (traction friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:03
-	26	106/36 and tire and (traction friction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:14
-	7	"4789190"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:08
-	9	"4261407"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:12

-	224	tire near2 (traction friction) and coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:16
-	8	tire near2 (traction friction) and coating.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:15
-	33	tire near2 (traction friction) and coating near5 thick\$	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:18
-	616	428/336 and (traction friction) and coating near5 thick\$	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:19
-	205	(428/336 and (traction friction) and coating near5 thick\$) and 428/323	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:21
-	22	106/36 and coating near2 thick\$ and (friction traction)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:21
-	3	(106/36 and coating near2 thick\$ and (friction traction)) and 428/323	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:21
-	2	428/323 and 428/336 and 106/36	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:25
-	17	428/323 and 106/36	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:26
-	7	428/336 and 106/36	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:28
-	0	428/323 and 4285/336 and coating near5 thickness and (particle powder filler) near5 average near5 diameter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:29
-	246	428/323 and 428/336 and coating near5 thickness and (particle powder filler) near5 average near5 (diameter size)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:29
-	241	(428/323 and 428/336 and coating near5 thickness and (particle powder filler) near5 average near5 (diameter size)) and (silica alumina ceria silicon adj oxide aluminum oxide cerium oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:30
-	213	(428/323 and 428/336 and coating near5 thickness and (particle powder filler) near5 average near5 (diameter size)) and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:31
-	20	106/36 and particle near2 (size diamter)and (coating film) near5 thick\$	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/02/10 13:31
-	382	428/323 and 428/336 and viscosity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/10 14:03

-	319	428/323 and 428/336 and viscosity and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:04
-	136	428/323 and 428/336 and (centipoise cp) and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:18
-	586	428/323 and 428/336 and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:19
-	488	428/323 and 428/336 and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and thick\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:29
-	154	(428/323 and 428/336 and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and thick\$) not magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:20
-	137	((428/323 and 428/336 and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and thick\$) not magnetic) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:21
-	137	((428/323 and 428/336 and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and thick\$) not magnetic) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:21
-	8495	coating and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and coating near2 thick\$ and (filler particle) near2 (diameter size)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:34
-	1689	coating and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and coating near2 thick\$ and (filler particle) near2 (diameter size) and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:39
-	1592	(coating and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and coating near2 thick\$ and (filler particle) near2 (diameter size) and (centipoise cp)) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:42
-	1187	(coating and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.20?sub.3 SiO?sub.2) and average and coating near2 thick\$ and (filler particle) near2 (diameter size) and (centipoise cp)) and (polyethylene)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:40
-	11012	average near2 (particle filler powder) near2 (diameter size) near5 (nm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:42

-	6263	average near2 (coat\$3 film layer) near2 (thick\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:42
-	210	(average near2 (particle filler powder) near2 (diameter size) near5 (nm)) and (average near2 (coat\$3 film layer) near2 (thick\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:42
-	160	((average near2 (particle filler powder) near2 (diameter size) near5 (nm)) and (average near2 (coat\$3 film layer) near2 (thick\$))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:42
-	47406	(coat\$3 film layer) near2 (thick\$) near2 (nm micron)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:43
-	790	"132" and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:43
-	468	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:43
-	329	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:44
-	219	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)) not magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:44
-	219	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)) not magnetic) not terphthalate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:44
-	329	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)) not terphthalate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:44
-	161	((coat\$3 film layer) near2 (thick\$) near2 (nm micron)) and (average near2 (particle filler powder) near2 (diameter size) near5 (nm))) and (polyethylene polybutadiene silicone polysulfide polyurethane epoxy acrylic acrylate)) not terphthalate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:58
-	18200	silicone near2 oil and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al ₂ O ₃ SiO ₂)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 14:59

-	2896	(silicone near2 oil and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.2O?sub.3 SiO?sub.2)) and (centipoise cp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:08
-	2	106/36 and silicone adj oil	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:07
-	531	((silicone near2 oil and (silica alumina ceria silicon adj oxide aluminum adj oxide cerium adj oxide Al?sub.2O?sub.3 SiO?sub.2)) and (centipoise cp)) and (particle filler) and nm and thickness	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/10 15:09